

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"09/942820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:56
S2	2236	375/356	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:57
S3	2	master and slave and (clock adj recovery) and metric and (delay adj element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:16
S4	0	(bi adj directonal) and (communicaton adj link) and (plural adj channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:12
S5	0	(bi adj directional) and (communicaton adj link) and (plural adj channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:12
S6	5	(bi adj directional) and (communication adj link) and (plural adj channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13
S7	0	(bi adj directional) and (communication adj link) and (plural adj channels) and master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13
S8	73218	masterand slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13
S9	54495	master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13
S10	615	master and slave and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:14

S11	34	S2 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:14
S12	9	master and slave and (clock adj recovery) and metric and delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:22
S13	0	(multi adj channel) and (transmitter near2 clock) and (receiver with (clock adj recovery) with delay with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:25
S14	0	(multi adj channel) and (transmitter with clock) and (receiver with (clock adj recovery) with delay with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:26
S15	0	(multi adj channel) and (transmitter with clock) and (receiver same (clock adj recovery) same delay same control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:26
S16	0	(multi adj channel) and (transmitter same clock) and (receiver same (clock adj recovery) same delay same control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:26
S17	18	(multi adj channel) and (transmitter same clock) and (receiver same (clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:28
S19	29	((multi adj channel) or (plural adj channels)) and transmitter and receiver and ((clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:40
S20	1031	(clock adj recovery) same delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:40
S21	40	(clock adj recovery) same delay and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:41

S22	15	(receiver with (clock adj recovery)) same delay and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:31
S23	12	(receiver with (clock adj recovery)) same delay and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:48
S24	26	(receiver with (clock adj recovery)) same delay and lan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:37
S25	1	(receiver with (clock adj recovery)) same delay and dsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:50
S26	32	(receiver with (clock adj recovery)) and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:53
S28	138	(receiver same (clock adj recovery)) and (adsl or (subscriber adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:55
S29	69	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31
S30	0	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and (corss adj talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:04
S31	9	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and (cross adj talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:10
S33	86447	leading with trailing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:28

S34	23440	leading with trailing with edges	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:30
S35	8	"leading and trailing edges"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:29
S36	5956	leading with trailing with edges with between	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:58
S37	0	S29 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31
S38	229	S36 and master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31
S39	48	S36 and master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31
S40	72	leading with trailing with edges with between and (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:00
S41	10	(leading with trailing with edges with between) same (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:00
S42	6	(leading with trailing with edges with between) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:59
S43	146	(amplitude with level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:06

S44	14	(amplitude adj level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:01
S45	0	(allow adj amplitude adj level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:07
S46	0	(allow adj amplitude) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:09
S47	2134	(amplitude) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:09
S48	1	(turbo adj code\$1) with (algebra\$6 adj encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:03
S49	1	(turbo adj code\$1) same (algebra\$6 adj encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:12
S50	1	(turbo adj code\$1) with (algebra\$6 adj encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:04
S51	32	algebra\$6 adj encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:06
S52	167	adsl and fext and next	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:10
S53	128	adsl and fext and next and crosstalk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:10

S54	22	adsl and fext and next and crosstalk and (timing adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:10
S55	4	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and fext	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:54
S56	41	(receiver same (clock adj recovery)) and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:07
S57	18	((multi adj channel) or (plural adj channels)) and (transmitter same clock) and (receiver same (clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:11
S58	13	(timing adj recovery) with (subscriber adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:15
S59	5	("4214128" "4494211" "4514760" "5048061" "5062124").PN	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 15:29
S60	0	(allow\$3 adj amplitud) and (Phase adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:54
S61	2	(amplitud) with (Phase adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:56
S62	2	(amplitud) with (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:18
S63	11	(eye adj diagram) with (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:59

S64	2	(amplitud) same (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:18
S65	6	(amplitud) and (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:49
S66	4881	375/354	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:49
S67	31	375/354 and master and slave and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:53
S68	80	375/354 and resolution and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:53
S69	7	375/354 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:54
S70	0	375/354 and master and slave and (clock adj recovery) and (resolution with metric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:54
S71	7	375/354 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:13
S72	2	375/355 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:14
S73	1	375/358 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:14

S74	0	375/359 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:15
S75	3	375/362 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:16
S76	7	375/371 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:17
S77	2	375/375 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:17
S78	2	"6316966".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 09:15
S79	2	"4218771".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 09:17
S80	0	"09/942820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S81	1530	375/356	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S82	2	master and slave and (clock adj recovery) and metric and (delay adj element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S83	0	(bi adj directonal) and (communicaton adj link) and (plural adj.channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41

S84	0	(bi adj directional) and (communicaton adj link) and (plural adj channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S85	5	(bi adj directional) and (communication adj link) and (plural adj channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S86	0	(bi adj directional) and (communication adj link) and (plural adj channels) and master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S87	76420	masterand slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S88	57150	master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S89	669	master and slave and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S90	26	S81 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S91	11	master and slave and (clock adj recovery) and metric and delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S92	0	(multi adj channel) and (transmitter near2 clock) and (receiver with (clock adj recovery) with delay with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S93	0	(multi adj channel) and (transmitter with clock) and (receiver with (clock adj recovery) with delay with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41

S94	0	(multi adj channel) and (transmitter with clock) and (receiver same (clock adj recovery) same delay same control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S95	0	(multi adj channel) and (transmitter same clock) and (receiver same (clock adj recovery) same delay same control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S96	18	(multi adj channel) and (transmitter same clock) and (receiver same (clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S97	30	((multi adj channel) or (plural adj channels)) and transmitter and receiver and ((clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S98	1089	(clock adj recovery) same delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S99	42	(clock adj recovery) same delay and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S10 0	16	(receiver with (clock adj recovery)) same delay and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S10 1	12	(receiver with (clock adj recovery)) same delay and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S10 2	27	(receiver with (clock adj recovery)) same delay and lan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S10 3	1	(receiver with (clock adj recovery)) same delay and dsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41

S10 4	33	(receiver with (clock adj recovery)) and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S10 5	143	(receiver same (clock adj recovery)) and (adsl or (subscriber adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S10 6	73	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S10 7	0	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and (corss adj talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S10 8	10	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and (cross adj talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S10 9	89198	leading with trailing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S11 0	24120	leading with trailing with edges	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S11 1	8	"leading and trailing edges"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S11 2	6153	leading with trailing with edges with between	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S11 3	0	S106 and S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41

S11 4	237	S112 and master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S11 5	53	S112 and master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S11 6	73	leading with trailing with edges with between and (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S11 7	10	(leading with trailing with edges with between) same (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S11 8	6	(leading with trailing with edges with between) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S11 9	151	(amplitude with level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S12 0	15	(amplitude adj level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S12 1	0	(allow adj amplitude adj level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S12 2	0	(allow adj amplitude) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S12 3	2172	(amplitude) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41

S12 4	1	(turbo adj code\$1) with (algebra\$6 adj encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S12 5	1	(turbo adj code\$1) same (algebra\$6 adj encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S12 6	1	(turbo adj code\$1) with (algebra\$6 adj encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S12 7	32	algebra\$6 adj encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S12 8	195	adsl and fext and next	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S12 9	145	adsl and fext and next and crosstalk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S13 0	23	adsl and fext and next and crosstalk and (timing adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S13 1	4	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and fext	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S13 2	42	(receiver same (clock adj recovery)) and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S13 3	18	((multi adj channel) or (plural adj channels)) and (transmitter same clock) and (receiver same (clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41

S13 4	14	(timing adj recovery) with (subscriber adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S13 5	5	("4214128" "4494211" "4514760" "5048061" "5062124").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/02 18:41
S13 6	0	(allow\$3 adj amplitud) and (Phase adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S13 7	2	(amplitud) with (Phase adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S13 8	2	(amplitud) with (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S13 9	13	(eye adj diagram) with (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S14 0	2	(amplitud) same (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S14 1	6	(amplitud) and (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S14 2	2852	375/354	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S14 3	31	375/354 and master and slave and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41

S14 4	78	375/354 and resolution and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S14 5	7	375/354 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S14 6	0	375/354 and master and slave and (clock adj recovery) and (resolution with metric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S14 7	7	375/354 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S14 8	2	375/355 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S14 9	1	375/358 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S15 0	0	375/359 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S15 1	3	375/362 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S15 2	6	375/371 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S15 3	2	375/375 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41

S15 4	1	"6316966".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41
S15 5	2	"4218771".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 18:41